

AMENDMENTS TO THE CLAIMS

The listing of claims below replaces all prior versions of claims in the application.

1. (Original): A moving image reproducing apparatus that reproduces a plurality of encoded image signals generated by encoding, for each frequency component, still image signals of respective screens forming a moving image signal, comprising:

a decoder for decoding, in the order of a lower frequency, a plurality of the encoded image signals corresponding to one screen;

a multiplexer for multiplexing with each other a plurality of the decoded image signals decoded by said decoder so as to generate one screen of a decoded still image signal; and

a controller for controlling a decoding amount by said decoder.

2. (Original): A moving image reproducing apparatus according to claim 1, further comprising a fetcher for fetching the moving image signal in a real time, wherein said controller controls the decoding amount based on a fetching period of the still image signal forming the moving image signal.

3. (Original): A moving image reproducing apparatus according to claim 2, wherein said controller limits the decoding amount at a time that the fetching period does not satisfy a predetermined condition.

4. (Original): A moving image reproducing apparatus according to claim 3, wherein said controller cancels a limitation of the decoding amount when a specific mode is manually selected.

5. (New): A moving image reproducing apparatus, comprising:

a fetcher for fetching a plurality of still images each of which has a plurality of encoded image components generated by encoding for each frequency component;

a decoder for decoding, in the order of a lower frequency, the plurality of encoded image components corresponding to a single still image fetched by said fetcher;

a multiplexer for multiplexing with each other a plurality of decoded image components decoded by said decoder so as to generate a single decoded still image;

a reproducer for reproducing a moving image based on the decoded still image generated by said multiplexer; and

a controller for controlling a decoding amount of said decoder based on a fetching period of the still image by said fetcher.

6. (New): A moving image reproducing apparatus according to claim 5, wherein said controller includes a limiter for limiting the decoding amount at a time that the fetching period fails to satisfy a predetermined condition.

7. (New): A moving image reproducing apparatus according to claim 6, further comprising a canceller for canceling a limiting operation of said limiter when a specific mode is manually selected.

8. (New): A moving image reproducing method, comprising the steps of:

(a) fetching a plurality of still images each of which has a plurality of encoded image components generated by encoding for each frequency component;

(b) decoding, in the order of a lower frequency, the plurality of encoded image components corresponding to a single still image fetched in said step (a);

(c) multiplexing with each other a plurality of decoded image components decoded in said step (b) so as to generate a single decoded still image;

(d) reproducing a moving image based on the decoded still image generated in said step (c); and

(e) controlling a decoding amount in said step (b) based on a fetching period of the still image in said step (a).